

K75



HEXAGON KEY WRENCHES



Innovation is
our mission!

	PAGE	
OFFSET SCREWDRIVER	214	2
HEXAGON KEY WRENCHES	214 - 215	3
HEXAGON KEY WRENCH SETS	215 - 216	4
HEXAGON SOCKET KEY WRENCH DISPLAYS	216 - 217	5
BALL ENDED HEXAGON KEY WRENCHES	217 - 218	6
BALL ENDED HEXAGON KEY WRENCH SETS	218 - 219	7
BALL ENDED HEXAGON KEY WRENCH DISPLAYS	219	8
TX-HEXAGON KEY WRENCH	219	9
TX TAMPERPROOF HEXAGON KEY WRENCH SETS	220	10
TX-HEXAGON KEY WRENCH DISPLAYS	220	11
TX BALL ENDED HEXAGON KEY WRENCH	220	12
TX BALL ENDED HEXAGON KEY WRENCH SETS	221	13
TX BALL ENDED HEXAGON KEY DISPLAYS	221	14
TX TAMPERPROOF HEXAGON KEY WRENCH	221	15
TX TAMPERPROOF KEY WRENCH SETS	221 - 222	16
TX TAMPERPROOF KEY WRENCH DISPLAYS	222	17
FIVE STAR PROFILE TAMPERPROOF KEY WRENCH	222	18
FIVE STAR PROFILE TAMPERPROOF KEY WRENCH SETS	222	19
RIBE TAMPERPROOF KEY WRENCH	222	20
RIBE HEXAGON KEY WRENCH SETS	223	21
SPLINE-HEXAGON KEY WRENCH (XZN®)	223	22
SPLINE-HEXAGON KEY WRENCH SETS (XZN®)	223	23
T-HANDLE NUT SCREWDRIVER	223	24
T-HANDLE NUT SCREWDRIVER SETS	223	25
T-HANDLE HEXAGON SOCKET KEY WRENCH	223	26
T-HANDLE HEXAGON SOCKET KEY WRENCH SETS	224	27
T-HANDLE BALL ENDED-HEXAGON KEY WRENCHES	224	
T-HANDLE BALL ENDED HEXAGON SOCKET KEY WRENCH SETS	224	
T-HANDLE TX-KEY WRENCH	224	
T-HANDLE TX-HEXAGON KEY WRENCH SETS	225	
T-HANDLE TX-BALL ENDED KEY WRENCH	225	
T-HANDLE TX TAMPERPROOF KEY WRENCH	225	
T-HANDLE TX TAMPERPROOF KEY WRENCH SETS	225	

HEXAGON KEY WRENCHES **Composition**

Hexagon key wrenches

- Wrench with a narrow bend radius drawn out hexagon profile
- Wrench made of S2 special steel - continuous hardened and matt chrome finish
- Precision finished according to DIN/ISO
- Surface finished in matt chrome
- Extra long execution for high leverage
- Ball head with a working angle of up to 20° which allows working in narrow areas



Folding holder

- Hanger for storage
- Foldable through 270° - pivot mechanism
- Perfect for mobile use

2 Component handle

- Hard blue core with soft black component with micro structured surface
- Blade surface chrome plated and mirror polished



T handle wrench

- Wrench made of S2 special steel - continuous hardened and matt chrome finish
- Black blade tip for high precision

2 Component handle

- Hard blue core with soft black component with micro structured surface
- Blade surface finished in matt chrome
- Hanging eyelet



Surfaces

Phosphate



- Phosphating = chemical /electro-chemical process
- Dip coating or spraying method
- Intention is the generation of phosphate layer, which is immovable on the base metal
- The surface receives therefore a very good absorption capacity for oil and wax
- Reliable corrosion protection
- To be bound to phosphated tools when oiled

Nickel plated



- The chrome layer is manufactured by electroplating in a electro bath process
- There are several steps that are passed through
- Nickel offers a very good corrosion protection and is resistant against air, water, diluted acids and most treatments of alkaline solution.
- The light gold optics are typical

Profiles

6 point



6 point ball head



Five star with tamper-proof



TX



TX with ball head



TXB



RIBE



XZN



Hexagon key wrench profile

CLASSIC

- Surface finished in matt chrome
- Blade manufactured from S2 special steel
- Precision finished according to DIN/ISO

CHROME^{plus}

- Surface finished in mirror polished chrome
- 2 Component handle
- Black/Blue
- Handle with hanging eyelet
- Blade manufactured from S2 special steel
- Precision finished according to DIN/ISO

Holder

System holder



Round holder 3 in 1



Multi handle holder 3 in 1



Folding holder



OFFSET SCREWDRIVER

Offset screwdriver, slotted

- Short execution
- DIN / ISO 8764
- Continuous hardened
- Matt chrome
- Special steel



	D mm	L mm	
151.2674	3,5	90,0	10
151.2675	4,0	100,0	13
151.2676	5,5	125,0	25
151.2677	8,0	150,0	50
151.2678	10,0	175,0	87
151.2679	12,0	200,0	127

Offset screwdriver, PH

- Short execution
- DIN / ISO 8764
- Continuous hardened
- Matt chrome
- Special steel



		L mm	
151.2680	PH 1 - PH 2	100,0	29
151.2681	PH 2 - PH 3	150,0	82
151.2682	PH 3 - PH 4	200,0	121

Offset screwdriver, PZ

- Short execution
- DIN / ISO 8764
- Continuous hardened
- Matt chrome
- Special steel



		L mm	
151.2683	PZ 1 - PZ 2	125,0	29
151.2684	PZ 3 - PZ 4	200,0	121

HEXAGON KEY WRENCHES

Hexagon key wrench

- Short execution
- In accordance to DIN / ISO 2936
- Continuous hardened
- Phosphate finish
- Special steel



			L1 mm	L2 mm	
151.26007	0,7		33,0	7,0	10
151.26009	0,9		33,0	11,0	10
151.26013	1,3		41,0	13,0	10
151.26015	1,5		46,5	15,5	10
151.2602	2,0		52,0	18,0	10
151.26025	2,5		58,5	20,5	10
151.2603	3,0		66,0	23,0	10
151.26035	3,5		69,5	25,5	10
151.2604	4,0		74,0	29,0	10
151.26045	4,5		80,0	30,5	20
151.2605	5,0		85,0	33,0	20
151.26055	5,5		90,0	35,0	20
151.2606	6,0		96,0	38,0	30
151.2607	7,0		102,0	41,0	40
151.2608	8,0		108,0	44,0	60
151.2609	9,0		114,0	47,0	80
151.2610	10,0		122,0	50,0	110
151.2611	11,0		129,0	53,0	150
151.2612	12,0		137,0	57,0	170
151.2613	13,0		145,0	63,0	250
151.2614	14,0		154,0	70,0	270
151.2616	16,0		168,0	76,0	400
151.2617	17,0		177,0	80,0	440
151.2618	18,0		188,0	84,0	600
151.2619	19,0		199,0	89,0	630
151.2621	21,0		211,0	96,0	700
151.2622	22,0		222,0	102,0	750
151.2624	24,0		248,0	114,0	820
151.2650	27,0		277,0	127,0	1770
151.2651	30,0		315,0	142,0	2460
151.2652	32,0		347,0	157,0	3140
151.2653	36,0		391,0	176,0	4400
151.2654		3/64"	45,0	14,0	10
151.2630		1/32"	45,0	14,0	10
151.2631		1/16"	45,0	15,0	10
151.2632		5/64"	50,0	16,0	10
151.2633		3/32"	51,0	17,0	10
151.2634		7/64"	54,0	20,0	10
151.2635		1/8"	57,0	22,0	10
151.2636		9/64"	63,0	23,0	10
151.2637		5/32"	65,0	25,0	10
151.2638		3/16"	70,0	29,0	20
151.2639		7/32"	80,0	32,0	30
151.2640		1/4"	87,0	32,0	40
151.2655		9/32"	95,0	35,0	45
151.2641		5/16"	98,0	40,0	80
151.2642		3/8"	110,0	45,0	110
151.2643		7/16"	124,0	48,0	130
151.2644		1/2"	133,0	50,0	150
151.2645		9/16"	152,0	57,0	250
151.2646		5/8"	160,0	59,0	400
151.2647		3/4"	180,0	70,0	620
151.2648		7/8"	200,0	80,0	740
151.2649		1"	248,0	114,0	820



Hexagon key wrench

- Short execution
- DIN / ISO 2936
- Continuous hardened
- Matt chrome
- Special steel



			L1 mm	L2 mm	
151.20213	1,3		41,0	13,0	10
151.20215	1,5		46,5	15,5	10
151.2022	2,0		52,0	18,0	10
151.20225	2,5		58,5	20,5	10
151.2023	3,0		66,0	23,0	10
151.20235	3,5		69,5	25,5	10
151.2024	4,0		74,0	29,0	10
151.20245	4,5		80,0	30,5	10
151.2025	5,0		85,0	33,0	20
151.20255	5,5		90,0	35,0	20
151.2026	6,0		96,0	38,0	30
151.2027	7,0		102,0	41,0	40
151.2028	8,0		108,0	44,0	60
151.2029	9,0		114,0	47,0	80
151.2030	10,0		122,0	50,0	110
151.2031	12,0		137,0	57,0	170
151.2038	13,0		145,0	63,0	250
151.2032	14,0		154,0	70,0	270
151.2039	16,0		168,0	76,0	400
151.2033	17,0		177,0	80,0	440
151.2034	19,0		199,0	89,0	630
151.2036	22,0		222,0	102,0	750
151.2082		1/16"	45,0	15,0	10
151.2083		5/64"	50,0	16,0	10
151.2084		3/32"	51,0	17,0	10
151.2085		7/64"	54,0	20,0	10
151.2086		1/8"	57,0	22,0	10
151.2087		9/64"	63,0	23,0	10
151.2088		5/32"	65,0	25,0	10
151.2089		3/16"	70,0	29,0	20
151.2090		7/32"	80,0	32,0	30
151.2091		1/4"	87,0	32,0	40
151.2092		5/16"	98,0	40,0	80
151.2093		3/8"	110,0	45,0	110
151.2094		7/16"	124,0	48,0	130
151.2095		1/2"	133,0	50,0	150
151.2096		9/16"	152,0	57,0	250
151.2097		5/8"	160,0	59,0	400
151.2098		3/4"	180,0	70,0	620
151.2099		7/8"	200,0	80,0	740

Hexagon key wrench, long

- Long execution
- In accordance to DIN / ISO 2936
- Continuous hardened
- Phosphate finish
- Special steel



			L1 mm	L2 mm	
151.27013	1,3		63,5	13,0	10
151.27015	1,5		63,5	15,5	10
151.2702	2,0		77,0	18,0	10
151.27025	2,5		87,5	20,5	10

	mm		L1 mm	L2 mm	
151.2703	3,0		93,0	23,0	10
151.27035	3,5		98,5	25,5	10
151.2704	4,0		104,0	29,0	20
151.27045	4,5		114,0	30,5	30
151.2705	5,0		120,0	33,0	30
151.2706	6,0		141,0	38,0	40
151.2707	7,0		147,0	41,0	60
151.2708	8,0		158,0	44,0	80
151.2709	9,0		169,0	47,0	110
151.2710	10,0		180,0	50,0	150
151.2656	11,0		191,0	53,0	200
151.2712	12,0		202,0	57,0	250
151.2714	14,0		229,0	70,0	390
151.2717	17,0		262,0	80,0	620
151.2719	19,0		290,0	89,0	880
151.2720		1/16"	63,5	15,5	10
151.2721		5/64"	77,0	18,0	10
151.2722		3/32"	87,5	20,5	10
151.2723		7/64"	93,0	23,0	10
151.2724		1/8"	93,0	23,0	10
151.2725		9/64"	98,5	25,5	10
151.2726		5/32"	104,0	29,0	10
151.2727		3/16"	120,0	33,0	20
151.2728		7/32"	128,0	35,0	30
151.2729		1/4"	141,0	38,0	40
151.2730		5/16"	158,0	44,0	80
151.2731		3/8"	180,0	50,0	110
151.2732		1/2"	202,0	57,0	150
151.2733		9/16"	229,0	70,0	250
151.2734		5/8"	240,0	76,0	390
151.2735		3/4"	290,0	89,0	620

Hexagon key wrench, long

- Long execution
- DIN / ISO 2936
- Continuous hardened
- Matt chrome
- Special steel



	mm		L1 mm	L2 mm	
151.20413	1,3		63,5	13,0	10
151.20415	1,5		63,5	15,5	10
151.2042	2,0		77,0	18,0	10
151.20425	2,5		87,5	20,5	10
151.2043	3,0		93,0	23,0	10
151.20435	3,5		98,5	25,5	10
151.2044	4,0		104,0	29,0	10
151.20445	4,5		114,5	30,5	20
151.2045	5,0		120,0	33,0	30
151.20455	5,5		128,0	35,0	30
151.2046	6,0		141,0	38,0	40
151.2047	7,0		147,0	41,0	60
151.2048	8,0		158,0	44,0	80
151.2049	9,0		169,0	47,0	110
151.2050	10,0		180,0	50,0	150
151.2052	12,0		202,0	57,0	250
151.2054	14,0		229,0	70,0	390
151.2057	17,0		262,0	80,0	620
151.2059	19,0		290,0	89,0	880
151.2061		1/16"	63,0	15,5	10
151.2062		5/64"	77,0	18,0	10
151.2063		3/32"	87,5	20,5	10
151.2064		7/64"	93,0	23,0	10
151.2065		1/8"	93,0	23,0	10
151.2066		9/64"	98,5	25,5	10
151.2067		5/32"	104,0	29,0	10
151.2068		3/16"	120,0	33,0	20
151.2069		7/32"	128,0	35,0	30
151.2071		1/4"	141,0	38,0	40
151.2072		5/16"	158,0	44,0	80
151.2073		3/8"	180,0	50,0	110
151.2074		1/2"	202,0	57,0	150
151.2075		9/16"	229,0	70,0	250
151.2076		5/8"	240,0	76,0	390
151.2077		3/4"	290,0	89,0	620

Hexagon key wrench, extra long

- Extra long execution
- In accordance to DIN / ISO 2936
- Continuous hardened
- Phosphate finish
- Special steel



	mm		L1 mm	L2 mm	
151.28015	1,5		91,5	15,5	10
151.2802	2,0		102,0	18,0	10
151.28025	2,5		114,5	20,5	10
151.2803	3,0		129,0	23,0	10
151.2804	4,0		144,0	29,0	20
151.2805	5,0		156,0	30,5	30
151.28055	5,5		165,0	33,0	40
151.2806	6,0		186,0	38,0	50
151.2807	7,0		197,0	41,0	80
151.2808	8,0		208,0	44,0	100
151.2657	9,0		219,0	47,0	110
151.2810	10,0		234,0	50,0	180
151.2812	12,0		262,0	57,0	290
151.2814	14,0		294,0	70,0	460
151.2817	17,0		337,0	80,0	750
151.2819	19,0		360,0	89,0	1070
151.2820		1/16"	91,0	15,5	10
151.2821		5/64"	102,0	18,0	10
151.2822		3/32"	114,5	20,5	10
151.2823		1/8"	129,0	23,0	20
151.2824		5/32"	144,0	29,0	20
151.2825		3/16"	156,0	30,5	30
151.2826		1/4"	186,0	38,0	50
151.2827		5/16"	208,0	44,0	80
151.2828		3/8"	234,0	50,0	150
151.2829		1/2"	267,0	63,0	300
151.2830		9/16"	294,0	70,0	460

Hexagon key wrench, extra long

- Extra long execution
- DIN / ISO 2936
- Continuous hardened
- Matt chrome
- Special steel



	mm		L1 mm	L2 mm	
151.31315	1,5		91,5	15,5	10
151.3132	2,0		102,0	18,0	10
151.31325	2,5		114,5	20,5	10
151.3133	3,0		129,0	23,0	10
151.3134	4,0		144,0	29,0	20
151.3135	5,0		156,0	30,5	30
151.3136	6,0		186,0	38,0	50
151.3137	7,0		197,0	41,0	80
151.3138	8,0		208,0	44,0	100
151.2658	9,0		219,0	47,0	135
151.3140	10,0		234,0	50,0	180
151.3142	12,0		262,0	57,0	290
151.3144	14,0		294,0	70,0	460
151.3147	17,0		337,0	80,0	750
151.3149	19,0		360,0	89,0	1070
151.3150		1/16"	91,0	15,5	10
151.3151		5/64"	102,0	18,0	10
151.3152		3/32"	114,5	20,5	10
151.3153		1/8"	129,0	23,0	20
151.3154		5/32"	144,0	29,0	20
151.3155		3/16"	156,0	30,5	30
151.3156		1/4"	186,0	38,0	50
151.3157		5/16"	208,0	44,0	80
151.3158		3/8"	234,0	50,0	180
151.3159		1/2"	267,0	63,0	300
151.3160		9/16"	294,0	70,0	460

HEXAGON KEY WRENCH SETS

CHROMEplus® Hexagon key wrench set

- In accordance to DIN / ISO 2936
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3540	8 pcs	2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	440
----------	-------	-------------------------------------	-----

Hexagon key wrench set in a folding holder

- Short execution
- DIN / ISO 2936
- Continuous hardened
- Matt chrome
- Special steel



151.3210	9 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	260
----------	-------	---	-----

3 in 1 Hexagon key wrench set

- Short execution
- DIN / ISO 2936
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2000	10 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	500
----------	--------	---	-----

3 in 1 Hexagon key wrench set

- Short execution
- DIN / ISO 2936
- Imperial sizes
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2050	10 pcs	1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	500
----------	--------	--	-----

Hexagon key wrench set on a ring

- In accordance to DIN / ISO 2936
- Storage ring
- Continuous hardened
- Phosphate finish
- Special steel



151.3250	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	330

3 in 1 Hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2040	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	340

3 in 1 Hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Imperial sizes
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2070	8 pcs	5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"	360

3 in 1 Hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2100	10 pcs	1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	700

3 in 1 Hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Imperial sizes
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2150	10 pcs	1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	800

3 in 1 Hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Handle with double function (holder / T handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2080	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	420

3 in 1 Hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2300	10 pcs	1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	800

3 in 1 Hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Imperial sizes
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel
- In a folding holder with two component handle



920.2350	10 pcs	1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	800

HEXAGON SOCKET KEY WRENCH DISPLAYS

CHROMEplus® Hexagon key wrench display

- In accordance to DIN / ISO 2936
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3540D	12 pcs	12 x 158.3540	4.98

3 in 1 Hexagon key wrench display

- Long execution
- DIN / ISO 2936
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2040D	24 pcs	24 x 151.2040	9.00

3 in 1 Hexagon key wrench display

- Long execution
- DIN / ISO 2936
- Imperial sizes
- Handle with double function (holder / T handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2070D	24 pcs	24 x 151.2070	9.00

3 in 1 Hexagon key wrench display

- Extra long execution
- DIN / ISO 2936
- Handle with double function (holder / T handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2080D	18 pcs	18 x 151.2080	8.00
-----------	--------	---------------	------



BALL ENDED HEXAGON KEY WRENCHES

Ball ended hexagon key wrench, short

- Short execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



	mm	L1 mm	L2 mm	g
151.21615	1,5	45,0	14,0	10
151.2162	2,0	50,0	16,0	10
151.21625	2,5	56,0	18,0	10
151.2163	3,0	63,0	20,0	10
151.2164	4,0	70,0	25,0	10
151.2165	5,0	80,0	28,0	20
151.2166	6,0	90,0	32,0	30
151.2168	8,0	100,0	36,0	60
151.2170	10,0	112,0	40,0	110
151.2172	12,0	125,0	45,0	170
151.2174	14,0	140,0	56,0	270

Ball ended hexagon key wrench, long

- Long execution
- In accordance to DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Phosphate finish
- Special steel



	mm	mm	L1 mm	L2 mm	g
151.29013	1,3		72,0	12,0	10
151.29015	1,5		74,0	13,5	10
151.2902	2,0		80,0	15,0	10
151.29025	2,5		86,0	17,0	10
151.2903	3,0		94,0	18,0	10
151.29035	3,5		102,0	22,0	10
151.2904	4,0		104,0	21,0	10
151.29045	4,5		112,0	26,0	10
151.2905	5,0		116,0	24,0	30
151.29055	5,5		128,0	30,0	30
151.2906	6,0		134,0	30,0	40
151.2907	7,0		147,0	34,0	40
151.2908	8,0		152,0	32,0	80
151.2910	10,0		170,0	40,0	150
151.2912	12,0		207,0	45,0	250
151.2914	14,0		230,0	54,0	260
151.2920		1/16"	74,0	13,5	10
151.2921		5/64"	80,0	15,0	10
151.2922		3/32"	86,0	17,0	10
151.2923		7/64"	94,0	19,0	10
151.2924		1/8"	94,0	18,0	20
151.2925		9/64"	102,0	22,0	20
151.2926		5/32"	104,0	21,0	30
151.2927		3/16"	116,0	24,0	30
151.2928		7/32"	128,0	30,0	30
151.2929		1/4"	134,0	28,0	50
151.2930		5/16"	152,0	32,0	50
151.2931		3/8"	170,0	40,0	140
151.2932		1/2"	207,0	45,0	160
151.2933		9/16"	230,0	56,0	270

Ball ended hexagon key wrench, long

- Long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



	mm	mm	L1 mm	L2 mm	g
151.21013	1,3		72,0	12,0	10
151.21015	1,5		77,0	14,0	10
151.2102	2,0		83,0	16,0	10
151.21025	2,5		92,0	18,0	10
151.2103	3,0		98,0	20,0	10
151.21035	3,5		102,0	22,0	10
151.2104	4,0		106,0	24,0	10
151.21045	4,5		112,0	26,0	10
151.2105	5,0		118,0	28,0	30
151.21055	5,5		128,0	30,0	30
151.2106	6,0		137,0	32,0	40
151.2107	7,0		147,0	34,0	40
151.2108	8,0		156,0	36,0	80
151.2110	10,0		170,0	40,0	150
151.2112	12,0		207,0	45,0	250
151.2114	14,0		230,0	54,0	260
151.2131		1/16"	77,0	14,0	10
151.2132		5/64"	83,0	16,0	10
151.2133		3/32"	90,0	18,0	10
151.2134		7/64"	94,0	19,0	10
151.2135		1/8"	98,0	20,0	20

	mm	mm	L1 mm	L2 mm	g
151.2136		9/64"	102,0	22,0	20
151.2137		5/32"	106,0	24,0	30
151.2138		3/16"	118,0	28,0	30
151.2139		7/32"	128,0	30,0	30
151.2140		1/4"	137,0	32,0	50
151.2141		5/16"	156,0	36,0	50
151.2142		3/8"	170,0	40,0	140
151.2143		1/2"	207,0	45,0	160
151.2144		9/16"	230,0	56,0	270

Ball ended hexagon key wrench, extra long

- Extra long execution
- In accordance to DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Phosphate finish
- Special steel



	mm	mm	L1 mm	L2 mm	g
151.30013	1,3		88,0	12,0	10
151.30015	1,5		90,0	14,0	10
151.3002	2,0		98,0	16,0	10
151.30025	2,5		110,0	18,0	20
151.3003	3,0		125,0	20,0	20
151.30035	3,5		130,0	20,0	20
151.3004	4,0		138,0	24,0	20
151.30045	4,5		142,0	24,0	20
151.3005	5,0		157,0	28,0	30
151.30055	5,5		160,0	28,0	40
151.3006	6,0		178,0	31,0	50
151.3007	7,0		185,0	32,0	60
151.3008	8,0		196,0	35,0	80
151.3010	10,0		222,0	40,0	150
151.3012	12,0		250,0	42,0	250
151.3014	14,0		300,0	44,0	350
151.3017	17,0		320,0	63,0	350
151.3019	19,0		360,0	70,0	400
151.3020		1/16"	90,0	14,0	10
151.3021		5/64"	98,0	16,0	10
151.3022		3/32"	110,0	18,0	10
151.3023		7/64"	120,0	20,0	30
151.3024		1/8"	125,0	20,0	50
151.3025		9/64"	130,0	22,0	50
151.3026		5/32"	138,0	24,0	80
151.3027		3/16"	157,0	28,0	120
151.3028		7/32"	165,0	30,0	150
151.3029		1/4"	178,0	31,0	180
151.3030		5/16"	196,0	35,0	200
151.3031		3/8"	222,0	40,0	220
151.3032		1/2"	250,0	42,0	250
151.3033		9/16"	300,0	44,0	350

Ball ended hexagon key wrench, extra long

- Extra long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



	mm	mm	L1 mm	L2 mm	g
151.31013	1,3		88,0	12,0	10
151.31015	1,5		90,0	14,0	10
151.3102	2,0		100,0	16,0	10
151.31025	2,5		112,0	18,0	10
151.3103	3,0		126,0	20,0	10
151.3104	4,0		140,0	24,0	20
151.3105	5,0		160,0	28,0	30
151.31055	5,5		170,0	30,0	40

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

	mm		L1 mm	L2 mm	g
151.3106	6,0		180,0	32,0	50
151.3107	7,0		190,0	34,0	80
151.3108	8,0		200,0	36,0	100
151.3110	10,0		224,0	40,0	150
151.3112	12,0		250,0	45,0	250
151.3114	14,0		280,0	56,0	270
151.3117	17,0		320,0	63,0	300
151.3119	19,0		360,0	70,0	350
151.3301		1/16"	90,0	14,0	10
151.3302		5/64"	98,0	16,0	10
151.3303		3/32"	110,0	18,0	10
151.3304		7/64"	120,0	20,0	30
151.3305		1/8"	125,0	20,0	50
151.3306		9/64"	130,0	22,0	50
151.3307		5/32"	138,0	24,0	80
151.3308		3/16"	157,0	28,0	120
151.3309		7/32"	165,0	30,0	150
151.3311		1/4"	178,0	31,0	180
151.3312		5/16"	196,0	35,0	200
151.3313		3/8"	222,0	40,0	220
151.3314		1/2"	250,0	42,0	250
151.3315		9/16"	300,0	44,0	350

BALL ENDED HEXAGON KEY WRENCH SETS

CHROMEplus® Ball ended hexagon key wrench set

- In accordance to DIN / ISO 2936
- With ball end
- Ideal for difficult to access screws
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



			g
158.3520	8 pcs	2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	440

3 in 1 Ball ended hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



			g
151.2100	8 pcs	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	330

3 in 1 Ball ended hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Imperial sizes
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



			g
151.2130	8 pcs	5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"	310

Ball ended hexagon key wrench set in a folding holder

- Long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



			g
151.3200	10 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	500

3 in 1 Ball ended hexagon key wrench set

- Long execution
- DIN / ISO 2936
- With ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



			g
920.2200	10 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	600

3 in 1 Ball ended hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Imperial sizes
- With ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



			g
920.2250	10 pcs	1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	600

3 in 1 Ball ended hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



			g
151.2180	8 pcs	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	440

Ball ended hexagon key wrench set

- Extra long execution
- DIN/ISO 2936
- With ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Chrome vanadium
- In a convenient folding holder



			g
151.3220	9 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	500

3 in 1 Ball ended hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Imperial sizes
- With ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



			g
920.2400	10 pcs	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	600

Ball ended hexagon key wrench set

- Extra long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



			g
151.2150	10 pcs	3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm	2,38



3 in 1 Ball ended hexagon key wrench set

- Long execution
- DIN / ISO 2936
- Imperial sizes
- With ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2450	10 pcs	1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	600
----------	--------	--	-----

BALL ENDED HEXAGON KEY WRENCH DISPLAYS

CHROMEplus® Ball ended hexagon key wrench display

- In accordance to DIN / ISO 2936
- With ball end
- Ideal for difficult to access screws
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3520D	12 pcs	12 x 158.3520	4.98
-----------	--------	---------------	------

3 in 1 Ball ended hexagon key wrench display

- Long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2100D	24 pcs	24 x 151.2100	8.00
-----------	--------	---------------	------

Ball ended hexagon key wrench display

- Extra long execution
- In accordance to DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



151.3200D	10 pcs	10 x 151.3200	5.60
-----------	--------	---------------	------

3 in 1 Ball ended hexagon key wrench display

- Long execution
- DIN / ISO 2936
- Imperial sizes
- Ball head on the long end
- Ideal for difficult to access screws
- Continuous hardened
- Matt chrome
- Special steel



151.2130D	24 pcs	24 x 151.2130	7.60
-----------	--------	---------------	------

3 in 1 Ball ended hexagon key wrench display

- Extra long execution
- DIN / ISO 2936
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2180D	18 pcs	18 x 151.2180	8.00
-----------	--------	---------------	------

TX-HEXAGON KEY WRENCH

TX key wrench, short


- Short execution
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.2341	T6	42.0	16.0	10
151.2342	T7	48.0	16.0	10
151.2343	T8	48.0	16.0	10
151.2344	T9	48.0	16.0	10
151.2345	T10	51.0	17.0	10
151.2346	T15	54.0	18.0	10
151.2347	T20	57.0	19.0	10
151.2348	T25	60.0	20.0	10
151.2349	T27	64.0	21.0	20
151.2350	T30	70.0	24.0	30
151.2351	T40	76.0	26.0	40
151.2352	T45	82.0	28.0	50
151.2353	T50	95.0	32.0	60
151.2354	T55	108.0	35.0	130
151.2355	T60	120.0	38.0	190

TX key wrench, long

- Long execution
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.2312	T6	66.0	16.0	10
151.2313	T7	71.0	16.0	10
151.2314	T8	76.0	16.0	10
151.2315	T9	80.0	16.0	10
151.2301	T10	86.0	17.0	10
151.2302	T15	90.0	18.0	10
151.2303	T20	95.0	19.0	10
151.2304	T25	100.0	20.0	20
151.2309	T27	105.0	21.0	30
151.2305	T30	114.0	24.0	40
151.2306	T40	124.0	26.0	70
151.2307	T45	133.0	28.0	100
151.2308	T50	152.0	32.0	140
151.2310	T55	171.0	35.0	180
151.2311	T60	190.0	38.0	280

TX key wrench, extra long

- Extra long execution
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.3161	T10	90.0	14.0	10
151.3162	T15	100.0	16.0	10
151.3163	T20	112.0	18.0	10
151.3164	T25	126.0	20.0	20
151.3165	T27	140.0	25.0	30
151.3166	T30	160.0	28.0	40
151.3167	T40	180.0	32.0	60
151.3168	T45	200.0	36.0	90
151.3169	T50	224.0	40.0	130

TX TAMPERPROOF HEXAGON KEY WRENCH SETS

CHROMEplus® TX key wrench set

- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3510	8 pcs	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40	300
----------	-------	--	-----

3 in 1 TX key wrench set

- Short execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2500	10 pcs	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	500
----------	--------	--	-----

3 in 1 TX key wrench set

- Long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2300	8 pcs	T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50	310
----------	-------	---	-----

3 in 1 TX key wrench set

- Long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2520	10 pcs	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	500
----------	--------	--	-----

3 in 1 TX key wrench set

- Extra long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2380	8 pcs	T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50	420
----------	-------	---	-----

3 in 1 TX key wrench set

- Extra long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2540	10 pcs	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	700
----------	--------	--	-----



TX-HEXAGON KEY WRENCH DISPLAYS

CHROMEplus® TX key wrench display

- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3510D	12 pcs	12 x 158.3510	3.84
-----------	--------	---------------	------

3 in 1 TX key wrench display

- Long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2300D	24 pcs	24 x 151.2300	7.55
-----------	--------	---------------	------

3 in 1 TX key wrench display

- Extra long execution
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2380D	18 pcs	18 x 151.2380	7.55
-----------	--------	---------------	------

TX BALL ENDED HEXAGON KEY WRENCH

TX ball ended key wrench, long

- Long execution
- Continuous hardened
- Ball head on the long end
- Ideal for difficult to access screws
- Matt chrome
- Special steel



		L1 mm	L2 mm	g
151.2401	T10	86.0	17.0	10
151.2402	T15	90.0	18.0	10
151.2403	T20	95.0	19.0	10
151.2404	T25	100.0	20.0	20
151.2405	T30	114.0	24.0	30
151.2406	T40	124.0	26.0	50
151.2407	T45	133.0	29.0	60
151.2408	T50	152.0	32.0	90

TX BALL ENDED HEXAGON KEY WRENCH SETS

3 in 1 TX ball ended key wrench set

- Long execution
- Continuous hardened
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2400	8 pcs	T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50	310
----------	-------	---	-----

TX BALL ENDED HEXAGON KEY DISPLAYS

3 in 1 TX ball ended key wrench display

- Long execution
- Continuous hardened
- Ball head on the long end
- Ideal for difficult to access screws
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



151.2400D	24 pcs	24 x 151.2400	7.65
-----------	--------	---------------	------

TX TAMPERPROOF HEXAGON KEY WRENCH

TX tamperproof key wrench, short


- Short execution
- Bore hole at the short and long end
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.2241	TB6	42.0	16.0	10
151.2242	TB7	48.0	16.0	10
151.2243	TB8	48.0	16.0	10
151.2244	TB9	48.0	16.0	10
151.2245	TB10	51.0	17.0	10
151.2246	TB15	54.0	18.0	10
151.2247	TB20	57.0	19.0	10
151.2248	TB25	60.0	20.0	10
151.2249	TB27	64.0	21.0	20
151.2250	TB30	70.0	24.0	30
151.2251	TB40	76.0	26.0	40
151.2252	TB45	82.0	28.0	50
151.2253	TB50	95.0	32.0	60
151.2254	TB55	108.0	35.0	130
151.2255	TB60	120.0	38.0	190

TX tamperproof key wrench, long


- Long execution
- Bore hole at the short and long end
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.2212	TB6	66.0	16.0	10
151.2213	TB7	71.0	16.0	10
151.2214	TB8	76.0	16.0	10
151.2215	TB9	80.0	16.0	10
151.2201	TB10	86.0	17.0	10
151.2202	TB15	90.0	18.0	10
151.2203	TB20	95.0	19.0	10
151.2204	TB25	100.0	20.0	20
151.2209	TB27	105.0	21.0	30
151.2205	TB30	114.0	24.0	40
151.2206	TB40	124.0	26.0	70
151.2207	TB45	133.0	28.0	100
151.2208	TB50	152.0	32.0	140
151.2210	TB55	171.0	35.0	180
151.2211	TB60	190.0	38.0	280

TX tamperproof key wrench, extra long

- Extra long execution
- Bore hole at the short and long end
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	⚙️
151.3181	TB10	90.0	14.0	10
151.3182	TB15	100.0	16.0	10
151.3183	TB20	112.0	18.0	10
151.3184	TB25	126.0	20.0	20
151.3185	TB27	140.0	25.0	30
151.3186	TB30	160.0	28.0	40
151.3187	TB40	180.0	32.0	60
151.3188	TB45	200.0	36.0	90
151.3189	TB50	224.0	40.0	130

TX TAMPERPROOF KEY WRENCH SETS

TX tamperproof key wrench set

- Short execution
- With tamperproof
- Continuous hardened
- Matt chrome
- Special steel



151.4150	7 pcs	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	100
----------	-------	--	-----

CHROMEplus® TX tamperproof key wrench set

- With tamperproof
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3530	8 pcs	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	300
----------	-------	--	-----

3 in 1 TX tamperproof key wrench set

- Short execution
- With tamperproof
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2550	10 pcs	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50	600
----------	--------	--	-----

3 in 1 TX tamperproof key wrench set

- Long execution
- With tamperproof
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2200	8 pcs	TB10 - TB15 - TB20 - TB25 - TB30 - TB40 - TB45 - TB50	250
----------	-------	---	-----

3 in 1 TX tamperproof key wrench set

- Long execution
- With tamperproof
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2570	10 pcs	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50	600
----------	--------	--	-----

3 in 1 TX tamperproof key wrench set

- Extra long execution
- With tamperproof
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2280	8 pcs	TB10 - TB15 - TB20 - TB25 - TB30 - TB40 - TB45 - TB50		420
----------	-------	---	--	-----

3 in 1 TX tamperproof key wrench set

- Extra long execution
- With tamperproof
- Continuous hardened
- Handle with double function (holder / T-handle)
- Matt chrome
- Special steel



920.2590	10 pcs	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50		800
----------	--------	--	--	-----

TX TAMPERPROOF KEY WRENCH DISPLAYS

CHROMEplus® TX tamperproof key wrench display

- With tamperproof
- Continuous hardened
- Chrome plated and mirror polished
- Special steel
- In a durable folding holder with two component housing



158.3530D	12 pcs	12 x 158.3530		3.84
-----------	--------	---------------	--	------



3 in 1 TX tamperproof key wrench display

- Long execution
- With tamperproof
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel



151.2200D	24 pcs	24 x 151.2200		8.50
-----------	--------	---------------	--	------

3 in 1 TX tamperproof key wrench display

- Extra long execution
- With tamperproof
- Handle with double function (holder / T-handle)
- Continuous hardened
- Matt chrome
- Special steel




151.2280D	18 pcs	18 x 151.2280		7.51
-----------	--------	---------------	--	------

FIVE STAR PROFILE TAMPERPROOF KEY WRENCH

Five star profile tamperproof key wrench, extra long

- Extra long execution
- Bore hole at the short and long end
- Continuous hardened
- Matt chrome
- Special steel




		L1 mm	L2 mm	
151.2471	TS10	94.0	18.0	10
151.2472	TS15	104.0	20.0	10
151.2473	TS20	116.0	22.0	10
151.2474	TS25	130.0	25.0	20
151.2475	TS27	133.0	30.0	30
151.2476	TS30	167.0	34.0	40
151.2477	TS40	190.0	38.0	60
151.2478	TS45	190.0	44.0	90
151.2479	TS50	245.0	50.0	130

FIVE STAR PROFILE TAMPERPROOF KEY WRENCH SETS

Five star profile tamperproof key wrench set

- Long execution
- Bore hole at the short and long end
- Continuous hardened
- Matt chrome
- Special steel




151.2470	9 pcs	TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50		330
----------	-------	--	--	-----

RIBE TAMPERPROOF KEY WRENCH

RIBE® Key wrench, extra long

- Extra long execution
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	
151.2451	M4	143.0	26.0	20
151.2452	M5	150.0	29.0	30
151.2453	M6	161.0	36.0	40
151.2454	M7	174.0	42.0	80
151.2455	M8	184.0	49.0	90
151.2456	M9	198.0	57.0	150
151.2457	M10	217.0	67.0	170
151.2670	M12	112.0	40.0	200
151.2671	M14	125.0	45.0	250
151.2672	M16	140.0	55.0	300
151.2458	M18	160.0	65.0	400

RIBE HEXAGON KEY WRENCH SETS

RIBE® Key wrench set

- Long execution
- Continuous hardened
- Matt chrome
- Special steel



151.2450	7 pcs	M4 - M5 - M6 - M7 - M8 - M9 - M10	310

SPLINE-HEXAGON KEY WRENCH (XZN®)

Spline key wrench, short

- Short execution
- Continuous hardened
- Matt chrome
- Special steel



		L1 mm	L2 mm	
151.4101	M4	63.0	20.0	10
151.4102	M5	72.0	24.0	10
151.4103	M6	76.0	26.0	20
151.4104	M8	82.0	28.0	40
151.4105	M10	93.0	31.0	80
151.4106	M12	106.0	34.0	80
151.4107	M14	125.0	45.0	80
151.4108	M16	140.0	55.0	80
151.2673	M18	178.0	81.0	333

SPLINE-HEXAGON KEY WRENCH SETS (XZN®)

Spline key wrench set

- Short execution
- Continuous hardened
- Matt chrome
- Special steel




151.4100	5 pcs	M5 - M6 - M8 - M10 - M12	150

T-HANDLE NUT SCREWDRIVER

CHROMEplus® T-handle socket screwdriver, long


- 6 point
- Two component handle
- With hanging hole
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L1 mm	L2 mm	L3 mm	L4 mm	
158.50055	5,5	9,9	264,0	230,0	10,0	95,0	80
158.5006	6	9,9	264,0	230,0	10,0	95,0	100
158.5007	7	10,1	264,0	230,0	10,0	95,0	120
158.5008	8	12,5	270,0	230,0	14,0	115,0	140
158.5009	9	13,6	270,0	230,0	12,0	115,0	150
158.5010	10	14,5	270,0	230,0	14,0	115,0	160
158.5011	11	15,7	270,0	230,0	15,0	115,0	180
158.5012	12	16,7	270,0	230,0	15,0	115,0	180
158.5013	13	17,6	270,0	230,0	16,0	115,0	180
158.5014	14	19,2	270,0	230,0	15,0	115,0	190

CHROMEplus® T-handle socket screwdriver, extra long

- 6 point
- Two component handle
- With hanging hole
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L1 mm	L2 mm	L3 mm	L4 mm	
158.5408	8	12,6	390,0	350,0	13,0	115,0	180
158.5409	9	13,6	390,0	350,0	14,0	115,0	190
158.5410	10	14,7	390,0	350,0	15,0	115,0	220
158.5413	13	17,7	390,0	350,0	15,0	115,0	230
158.5414	14	19,1	390,0	350,0	16,0	115,0	250

T-HANDLE NUT SCREWDRIVER SETS

CHROMEplus® T-handle socket screwdriver set

- 6 point
- Two component handle
- With hanging hole
- Chrome plated and mirror polished
- Chrome vanadium




158.5000	6 pcs	6 - 8 - 10 - 12 - 13 - 14 mm	1,40

T-HANDLE HEXAGON SOCKET KEY WRENCH

ERGOTORQUEplus® T-handle hexagon key wrench


- With two component handle
- Continuous hardened
- Tip burnished
- Chrome plated and mirror polished
- Special steel



		D mm	L1 mm	L2 mm	L3 mm	
158.8032	2,0	130,0	100,0	80,0	20	
158.80325	2,5	130,0	100,0	80,0	30	
158.8033	3,0	130,0	100,0	80,0	30	
158.8034	4,0	180,0	150,0	80,0	50	
158.8035	5,0	185,0	150,0	100,0	100	
158.8036	6,0	185,0	150,0	100,0	140	
158.8037	7,0	329,0	290,0	100,0	157	
158.8038	8,0	230,0	200,0	100,0	320	
158.8040	10,0	235,0	200,0	115,0	360	

3 Way T-handle hexagonal key wrench


- Hexagonal profile on three ends
- For difficult to access areas
- Matt finish
- Chrome finish with burnished tips
- Chrome vanadium



		D mm	L1 mm	L2 mm	
158.5102	2,0	125,0	65,0	23	
158.51025	2,5	125,0	65,0	23	
158.5103	3,0	125,0	65,0	23	
158.5104	4,0	180,0	90,0	59	
158.51045	4,5	180,0	90,0	59	
158.5105	5,0	180,0	90,0	60	
158.5106	6,0	210,0	105,0	126	
158.5108	8,0	250,0	125,0	208	
158.5110	10,0	300,0	145,0	384	

ERGOTORQUEplus® T-handle hexagon key wrench

- Ideal for difficult to access screws
- With two component handle
- Continuous hardened
- Matt chrome
- Special steel



		D mm	L1 mm	L2 mm	L3 mm	
151.2686	2,0	142,0	100,0	12,0	12	
151.2687	2,5	142,0	100,0	12,0	15	
151.2688	3,0	167,0	125,0	12,0	19	
151.2689	4,0	211,0	150,0	14,0	49	
151.2690	4,5	211,0	150,0	14,0	60	
151.2691	5,0	211,0	150,0	14,0	68	
151.2692	6,0	236,0	175,0	14,0	91	
151.2693	7,0	261,0	200,0	14,0	142	
151.2694	8,0	279,0	200,0	16,0	175	
151.2695	10,0	304,0	225,0	16,0	257	

T-HANDLE HEXAGON SOCKET KEY WRENCH SETS

ERGOTORQUE^{plus} T-handle key wrench set

- In accordance to DIN / ISO 2936
- Continuous hardened
- Chrome plated and mirror polished
- Tip burnished
- Special steel
- In durable wall holder



158.8130	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	1.08
----------	-------	-------------------------------------	------

3 Way T-handle hexagonal key wrench set

- Hexagonal profile on three ends
- For difficult to access areas
- Matt finish
- Chrome finish with burnished tips
- Chrome vanadium
- In durable plastic storage case




158.5100	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	7.00
----------	-------	-------------------------------------	------

T-HANDLE BALL ENDED-HEXAGON KEY WRENCHES

ERGOTORQUE^{plus} T-handle ball ended hexagon key wrench

- With ball head on the long end
- Ideal for difficult to access screws
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel



	mm	L1 mm	L2 mm	L3 mm	g
151.8130	2.0	138.0	100.0	12.0	20
151.8131	2.5	140.0	100.0	13.0	30
151.8132	3.0	140.0	100.0	15.0	30
151.8133	4.0	188.0	150.0	15.0	50
151.8134	5.0	205.0	150.0	15.0	100
151.8135	6.0	205.0	150.0	15.0	140
151.8136	7.0	210.0	150.0	15.0	300
151.8137	8.0	250.0	200.0	15.0	320
151.8138	10.0	275.0	200.0	18.0	360
151.8139	12.0	275.0	200.0	20.0	420

T-HANDLE BALL ENDED HEXAGON SOCKET KEY WRENCH SETS

ERGOTORQUE^{plus} T-handle ball ended hexagon key wrench set

- With ball head on the long end
- Ideal for difficult to access screws
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel



151.8155	8 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	0.44
----------	-------	-------------------------------------	------



ERGOTORQUE^{plus} T-handle ball ended hexagon key wrench set

- With ball head on the long end
- Ideal for difficult to access screws
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel
- In durable plastic storage case




151.8150	9 pcs	2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 mm	1.80
----------	-------	--	------

T-HANDLE TX-KEY WRENCH

ERGOTORQUE^{plus} T-handle TX key wrench


- With two component handle
- Continuous hardened
- Tip burnished
- Chrome plated and mirror polished
- Special steel



		L1 mm	L2 mm	L3 mm	g
158.8015	T5	130.0	100.0	80.0	18
158.8016	T6	130.0	100.0	80.0	18
158.8017	T7	130.0	100.0	80.0	18
158.8018	T8	130.0	100.0	80.0	33
158.8019	T9	130.0	100.0	80.0	38
158.8020	T10	130.0	100.0	80.0	30
158.8021	T15	130.0	100.0	80.0	30
158.8022	T20	130.0	100.0	80.0	30
158.8023	T25	135.0	100.0	100.0	50
158.8024	T27	135.0	100.0	100.0	100
158.8025	T30	135.0	100.0	100.0	100
158.8026	T40	235.0	200.0	100.0	300
158.8027	T45	285.0	250.0	100.0	320
158.8028	T50	290.0	250.0	115.0	360

3 Way T-handle TX key wrench


- TX profile on three ends
- For difficult to access areas
- Matt finish
- Chrome finish with burnished tips
- Chrome vanadium



		L1 mm	L2 mm	g
158.5201	T10	125.0	65.0	23
158.5202	T15	125.0	65.0	23
158.5203	T20	125.0	65.0	23
158.5204	T25	180.0	90.0	59
158.5205	T27	180.0	90.0	59
158.5206	T30	180.0	90.0	60
158.5207	T40	180.0	90.0	126
158.5208	T45	180.0	90.0	208
158.5209	T50	250.0	125.0	384

ERGOTORQUE^{plus} T-handle TX key wrench, long

- Extra long execution
- With two component handle
- Continuous hardened
- Tip burnished
- Chrome plated and mirror polished
- Special steel



		L1 mm	L2 mm	L3 mm	g
158.8051	T10	403.0	373.0	80.0	30
158.8052	T15	403.0	373.0	80.0	30
158.8053	T20	403.0	373.0	100.0	40
158.8054	T25	408.0	373.0	100.0	40
158.8055	T27	408.0	373.0	100.0	40
158.8056	T30	408.0	373.0	100.0	45

T-HANDLE TX-HEXAGON KEY WRENCH SETS

ERGOTORQUEplus® T-handle TX key wrench set

- Continuous hardened
- Chrome plated and mirror polished
- Tip burnished
- Special steel
- In durable wall holder



158.8160	9 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	1.33
----------	-------	---	------

3 Way T-handle TX key wrench set


- TX profile on three ends
- For difficult to access areas
- Matt finish
- Chrome finish with burnished tips
- Chrome vanadium
- In durable plastic storage case



158.5200	9 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	7.00
----------	-------	---	------

ERGOTORQUEplus® T-handle TX key wrench set

- Extra long execution
- With two component handle
- Continuous hardened
- Tip burnished
- Chrome plated and mirror polished
- Special steel




158.8050	6 pcs	T10 - T15 - T20 - T25 - T27 - T30	375
----------	-------	-----------------------------------	-----

T-HANDLE TX-BALL ENDED KEY WRENCH

ERGOTORQUEplus® T-handle ball ended TX key wrench

- With ball head on the long end
- Ideal for difficult to access screws
- With two component handle
- Continuous hardened
- Matt chrome
- Special steel




		L1 mm	L2 mm	L3 mm	g
151.2751	T6	167.0	125.0	12.0	16
151.2752	T7	167.0	125.0	12.0	16
151.2753	T8	167.0	125.0	12.0	16
151.2754	T9	167.0	125.0	12.0	17
151.2755	T10	167.0	125.0	12.0	18
151.2756	T15	167.0	125.0	12.0	20
151.2757	T20	167.0	125.0	12.0	24
151.2758	T25	211.0	150.0	14.0	43
151.2759	T27	211.0	150.0	14.0	56
151.2760	T30	211.0	150.0	14.0	63
151.2761	T40	254.0	175.0	16.0	113



T-HANDLE TX TAMPERPROOF KEY WRENCH

ERGOTORQUEplus® T-handle TX tamperproof key wrench

- Tamperproof
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel



		L1 mm	L2 mm	L3 mm	g
151.8121	TB10	140.0	100.0	13.0	20
151.8122	TB15	140.0	100.0	15.0	30
151.8123	TB20	140.0	100.0	15.0	30
151.8124	TB25	208.0	150.0	15.0	50
151.8125	TB27	208.0	150.0	15.0	100
151.8126	TB30	208.0	150.0	15.0	140
151.8127	TB40	260.0	200.0	15.0	300
151.8128	TB45	260.0	200.0	18.0	320
151.8129	TB50	280.0	200.0	20.0	360



T-HANDLE TX TAMPERPROOF KEY WRENCH SETS

ERGOTORQUEplus® T-handle TX tamperproof key wrench set

- Tamperproof
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel



151.8165	8 pcs	TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	0.70
----------	-------	--	------

ERGOTORQUEplus® T-handle TX tamperproof key wrench set

- Tamperproof
- With two component handle
- Continuous hardened
- Tip burnished
- Matt chrome
- Special steel
- In durable plastic storage case



151.8160	9 pcs	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50	1.80
----------	-------	--	------